| Ref<br># | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|---|---------------------|---------|------------------|
| L1       | 32   | (US-20050010757-\$ or US-20040255110-\$ or US-20040193867-\$ or US-20040123091-\$ or US-20040059900-\$ or US-20040039821-\$ or US-20040039821-\$ or US-20040034763-\$ or US-20040030879-\$ or US-20030126242-\$ or US-20030126242-\$ or US-20030023839-\$ or US-20030018763-\$ or US-20030018763-\$ or US-2003018763-\$ or US-2003018763-\$ or US-2003018763-\$ or US-2003018763-\$ or US-2003018763-\$ or US-6954852-\$ or US-6973587-\$ or US-6954852-\$ or US-6754707-\$ or US-6751658-\$ or US-6755691-\$ or US-6405310-\$ or US-6317826-\$ or US-6311276-\$ or US-6185678-\$ or US-5974547-\$ or US-5828888-\$).did. | US-PGPUB;<br>USPAT                                      | OR                  | OFF     | 2006/03/09 08:43 |
| L2       | - 6  | 1 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/03/09 08:45 |
| L3       | 1    | 2 and (management near2 (server or node or computer))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/03/09 08:45 |
| L4       | 14   | 1 and (management near2 (server or node or computer))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/03/09 08:49 |
| L5       |      | 4 and ((boot\$3 or preboot\$ or (pre<br>adj boot\$3) or initializ\$5 or<br>bootstrap\$4 or (boot adj strap\$4) or<br>bootp) near3 request\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/03/09 08:49 |
| L6       | 1    | 5 and broadcast\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/03/09 08:49 |

| L7  | 24 | 1 and ((boot\$3 or preboot\$ or (pre<br>adj boot\$3) or initializ\$5 or<br>bootstrap\$4 or (boot adj strap\$4) or<br>bootp) near3 (server\$1 or node\$1<br>or computer\$1))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 08:49 |
|-----|----|--|---|----|-----|------------------|
| L8  | 12 | 7 and (management near2 (server or node or computer))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 08:49 |
| L9  | 2  | 8 and broadcast\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 08:49 |
| L10 | 5  | 8 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1 or parameter\$1 or data or information))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 08:54 |
| L11 | 0  | 8 and ((plurality or multiple or<br>(more adj than adj one)) near3<br>(server near2 (blade\$1 or card\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 08:55 |
| L12 | 1  | 1 and ((plurality or multiple or<br>(more adj than adj one)) near3<br>(server near2 (blade\$1 or card\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 08:55 |

| Ref<br># | Hits | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|---|---------------------|---------|------------------|
| L1       | 60   | (US-20050071677-\$ or US-20040158742-\$ or US-20030131246-\$ or US-20030018763-\$ or US-20030188161-\$ or US-20050114544-\$ or US-20030097553-\$ or US-20030126426-\$ or US-20030126426-\$ or US-20030182549-\$ or US-20030182549-\$ or US-20030084342-\$ or US-200300273-\$ or US-200300273-\$ or US-20030097422-\$ or US-20030097422-\$ or US-20030097422-\$ or US-20030097422-\$ or US-20050071675-\$ or US-20050071675-\$ or US-20050071480-\$ or US-20050071480-\$ or US-20050071480-\$ or US-2003004529-\$).did. or (US-20020099971-\$ or US-2003004518-\$ or US-2003004518-\$ or US-20030048615-\$).did. or (US-6189100-\$ or US-6816963-\$ or US-6908391-\$ or US-6857069-\$ or US-6609151-\$ or US-6857069-\$ or US-66090391-\$ or US-6981146-\$ or US-6757824-\$ or US-6757723-\$ or US-6550006-\$ or US-6978365-\$ or US-6970932-\$ or US-677723-\$ or US-6550006-\$ or US-6978365-\$ or US-655 | US-PGPUB;<br>USPAT;<br>DERWENT                          | OR                  | OFF     | 2006/03/09 09:45 |
| L2       | 11   | 1 and ((trused or approved or valid<br>or legitimate) near2 server\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/03/09 09:53 |

| L3  | 6  | 2 and ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near3 request\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 09:51 |
|-----|----|---|---|----|-----|------------------|
| L4  | 30 | 1 and ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near3 request\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:09 |
| L5  | 16 | 4 and (download\$3 near6 ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near2 (image\$1 or code or information or data or parameter\$1 or program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:24 |
| L6  | 4  | 5 and ((trused or approved or valid or legitimate) near2 server\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 09:54 |
| L7  | 2  | 1 and ((trused or approved or valid<br>or legitimate) near3 ((server\$1 or<br>node\$1 or computer\$1) near2 list))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 09:55 |
| L8  | 1  | 1 and ((trused or approved or valid<br>or legitimate) near2 list)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 09:56 |
| L9  | 2  | 1 and ((trused or approved or valid or legitimate) near3 list)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 09:56 |
| L10 | 9  | 1 and ((stor\$3 or hold\$3 or<br>contain\$3) near6 (list near3<br>((approved or official or legitimate<br>or authorized or trusted) near2<br>server\$1)))                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 09:59 |
| L11 | 2  | 1 and ((stor\$3 or hold\$3 or<br>contain\$3) near6 (list near3<br>((approved or official or legitimate<br>or authorized or trusted) adj<br>(server\$1 or node\$1 or<br>computer\$1))))        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:01 |

|     |   |  |   |    | <del></del> |                  |
|-----|---|--|---|----|-------------|------------------|
| L12 | 9 | 1 and ((stor\$3 or hold\$3 or<br>contain\$3) near6 (list near3<br>((approved or official or legitimate<br>or authorized or trusted) near2<br>(server\$1 or node\$1 or<br>computer\$1)))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF         | 2006/03/09 10:01 |
| L13 | 6 | 12 and ((network adj interface adj card\$1) or NIC\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF         | 2006/03/09 10:02 |
| L14 | 9 | 12 and client\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF         | 2006/03/09 10:03 |
| L15 | 7 | 12 and ((secure\$1 or protect\$2) near2 (network\$1 or (local adj area adj network\$1) or LAN\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF         | 2006/03/09 10:05 |
| L16 | 0 | 12 and (broadcast\$3 near6<br>(((dynamic adj host adj<br>configuration adj protocol) or DHCP)<br>near3 request\$3))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF         | 2006/03/09 10:08 |
| L17 | 4 | 12 and (((dynamic adj host adj<br>configuration adj protocol) or DHCP)<br>near3 request\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF         | 2006/03/09 10:08 |
| L18 | 4 | 1 and (broadcast\$3 near6<br>(((dynamic adj host adj<br>configuration adj protocol) or DHCP)<br>near3 request\$3))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF ·       | 2006/03/09 10:08 |
| L19 | 4 | 18 and (boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF         | 2006/03/09 10:11 |
| L20 | 2 | 18 and ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near3 request\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF         | 2006/03/09 10:09 |

|     |    | EAST Scare  | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,                 |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| L21 | 6  | 1 and ((plurality or multiple or<br>(more adj than adj one)) near3<br>((server\$1 or node\$1) near2<br>(blade\$1 or card\$1)))                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:13 |
| L22 | 4  | 1 and (switch\$3 near2 (blade\$1 or card\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:13 |
| L23 | 4  | 4 and (download\$3 near6<br>(configuration near2 (image\$1 or<br>code or information or data or<br>parameter\$1 or program\$1 or<br>routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:18 |
| L24 | 21 | 1 and (management near2<br>(server\$1 or node\$1 or<br>computer\$1))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:19 |
| L25 | 8  | 1 and (management adj (server\$1 or node\$1 or computer\$1))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:21 |
| L26 | 2  | 1 and ((management near2<br>(server\$1 or node\$1 or<br>computer\$1)) near2 list)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:22 |
| L27 | 2  | 1 and ((configuration near2<br>(server\$1 or node\$1 or<br>computer\$1)) near2 list)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:22 |
| L28 | 20 | 1 and (configuration near2<br>(server\$1 or node\$1 or<br>computer\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:22 |
| L29 | 7  | 1 and (configuration adj (server\$1 or node\$1 or computer\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:22 |
| L30 | 5  | 25 and list   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:23 |

| L31 | 16 | 28 and list  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:23 |
|-----|----|--|---|----|-----|------------------|
| L32 | 8  | 31 and (download\$3 near6 ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near2 (image\$1 or code or information or data or parameter\$1 or program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:26 |
| L33 | 2  | 29 and (download\$3 near6 ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near2 (image\$1 or code or information or data or parameter\$1 or program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/09 10:26 |